

KÄNGABOX® Professional PR1267
Compact, smooth and clean.






Temperature resistant: EPP material density 70 g/l with a thermal conductivity of only 0.04 W/mK



Free space in the inner floor: collection area for condensation water and optimal air circulation




Hygienic: Smooth inner surfaces can be cleaned easily and thoroughly



Practical: Recesses for easy opening of the lid and stable handles with water drain



Patented base-lid construction: stacking feet with small footprints and stacking edge in the lid



The stacking surfaces do not come into contact with the lid. The lid remains clean.

KÄNGABOX®Professional Simply clean - inside and outside

The popular KÄNGABOX®Professional now in a new improved edition for even more cleanliness. Clean on the outside - shiny from the inside. No soiling of the lids during stacking and highly polished inner surfaces. Larger recessed grips, high temperature resistance and ultra-light weight. For hot, frozen and fresh products. KÄNGABOX® Professional - optimal for supporting supply chains according to HACCP standards.

- Clean lids even when stacked. The patented bottom-lid construction keeps the thermoboxes at a distance.
- Clean interior with smooth, easy-to-clean surfaces.
- No seams or glued gaps.
- Free space as a collection area for condensation and to support air circulation for greater temperature resistance.
- Larger, comfortable handles with water drainage.
- Common Gastronorm GN1/1 format with convenient recessed handles for convenient removal of the GN containers.
- Ideal for keeping cold and hot from -40 °C to +120 °C. Temperature rises/sinks on average only 1 - 3 °C per hour.
- Food-safe and harmless for storing and transporting food.
- Conforms to Regulation (EU) No. 10/2011 on plastic materials and articles intended to come into contact with foodstuffs.
- More variants
KÄNGABOX®Professional PR1217 with bottom handles
KÄNGABOX®Professional PR3217 with comfort handles

KÄNGABOX®Professional GN1/1 with standard handle



Color	Item no.	EAN
blue - BU	PR1267BU	4260394554565
red - RT	PR1267RT	4260394554589
Lime - LE	PR1267LE	4260394554572
black - SZ	PR1267SZ	4260394554558

technical data

Dimension inside	538 × 337 × 267 mm
Dimension outside	603 × 402 × 337 mm
Weight Volume	2 kg 48 l
Mono Material	Expanded polypropylene EPP
Material density	70 g/l
Food safe	Safety certificate
Dishwasher safe	Up to 80 °C
Environmentally friendly	100% recyclable

Properties of EPP

- Ultralight - consists of 98% air
- Shatterproof and scratch resistant
- Temperature resistant



FEURER Febra GmbH
Klingenberger Straße 2
74336 Brackenheim
Germany

Tel. + 49 7135 176-170
Fax + 49 7135 176-55 170
info@kangabox.de
www.kangabox.com



KÄNGABOX® is a brand of FEURER Group GmbH